

アルミ 2017 丸棒

寸 径(m/m)	法 長さ(m/m)	1本重量 (kg)
5.0	×	2000
6.0	×	2000
7.0	×	2000
8.0	×	2000
9.0	×	2000
10.0	×	4000
11.0	×	4000
12.0	×	4000
13.0	×	4000
14.0	×	4000
15.0	×	4000
16.0	×	4000
17.0	×	4000
18.0	×	4000
19.0	×	4000
20.0	×	4000
21.0	×	4000
22.0	×	4000
23.0	×	4000
24.0	×	4000
25.0	×	4000
26.0	×	4000
28.0	×	4000
30.0	×	4000
32.0	×	4000
34.0	×	4000
35.0	×	4000
36.0	×	4000
38.0	×	4000
40.0	×	4000
42.0	×	4000
45.0	×	4000
46.0	×	4000
48.0	×	4000
50.0	×	4000
52.0	×	4000
55.0	×	4000
60.0	×	4000
65.0	×	4000
70.0	×	2000
70.0	×	4000
75.0	×	2000
80.0	×	2000
85.0	×	2000
90.0	×	2000
95.0	×	2000
100.0	×	2000
105.0	×	2000
110.0	×	2000
115.0	×	2000
120.0	×	2000

寸 径(m/m)	法 長さ(m/m)	1本重量 (kg)
130.0	×	2000
140.0	×	2000
150.0	×	2000
160.0	×	2000
170.0	×	2000
180.0	×	2000
200.0	×	1000
210.0	×	1000
220.0	×	1000
230.0	×	1000
240.0	×	1000
250.0	×	1000
260.0	×	1000
270.0	×	1000
280.0	×	1000
300.0	×	1000

注意：重量は実質ですので多少誤差があります。

アルミ カラー1100板 B1クリアSPV

寸法			1本重量 (kg)
厚さ(m/m)	幅(m/m)	長さ(m/m)	
※ 1.5	×	1000 × 3000	
※ 2.0	×	1000 × 2000	
※ 2.0	×	1250 × 2500	
※ 3.0	×	1000 × 2000	

アルミ 6063 等辺アングル(R付)

寸法			1本重量 (kg)
厚さ(m/m)	幅(m/m)	長さ(m/m)	
3.0	×	25 × 25 × 4000	1.528
3.0	×	30 × 30 × 4000	1.854
3.0	×	40 × 40 × 4000	2.504
3.0	×	50 × 50 × 4000	3.154
4.0	×	40 × 40 × 4000	3.295
4.0	×	50 × 50 × 4000	4.163
5.0	×	30 × 30 × 4000	2.981
5.0	×	40 × 40 × 4000	4.065
5.0	×	50 × 50 × 4000	5.149
5.0	×	60 × 60 × 4000	6.233
6.0	×	40 × 40 × 4000	4.813
6.0	×	50 × 50 × 4000	6.114
6.0	×	60 × 60 × 4000	7.415
6.0	×	65 × 65 × 4000	8.065
6.0	×	70 × 70 × 4000	8.715
6.0	×	75 × 75 × 4000	9.366
7.0	×	75 × 75 × 4000	10.892
7.0	×	90 × 90 × 4000	13.127
8.0	×	65 × 65 × 4000	10.580
9.0	×	75 × 75 × 4000	13.756
10.0	×	100 × 100 × 4000	20.596

注意：※は在庫寸法です。

アルミ

板

アルミ

四
ア
ン
角
グ
棒
ル

アルミ 6063 平棒

寸法 厚さ(m/m)	幅(m/m)	長さ(m/m)	1本重量 (kg)
3.0	×	10	0.325
3.0	×	15	0.488
※ 3.0	×	20	0.650
3.0	×	25	0.813
※ 3.0	×	30	0.976
3.0	×	35	1.138
3.0	×	40	1.301
3.0	×	50	1.626
4.0	×	10	0.434
4.0	×	12	0.520
4.0	×	15	0.650
4.0	×	20	0.867
4.0	×	25	1.084
4.0	×	28	1.214
4.0	×	30	1.301
4.0	×	40	1.734
4.0	×	50	2.168
4.0	×	70	3.035
5.0	×	10	0.542
5.0	×	13	0.705
5.0	×	15	0.813
5.0	×	20	1.084
5.0	×	25	1.355
5.0	×	30	1.626
5.0	×	35	1.897
5.0	×	40	2.168
5.0	×	50	2.710
5.0	×	60	3.252
5.0	×	70	3.792
6.0	×	10	0.650
6.0	×	12	0.780
6.0	×	15	0.976
6.0	×	20	1.301
6.0	×	25	1.626
6.0	×	32	2.081
6.0	×	35	2.268
6.0	×	50	3.252
6.0	×	60	3.902
6.0	×	65	4.244
6.0	×	75	4.878
6.0	×	100	6.504
8.0	×	15	1.301
8.0	×	20	1.734
8.0	×	25	2.168
8.0	×	30	2.602
8.0	×	35	3.035
8.0	×	40	3.469
8.0	×	50	4.336
8.0	×	60	5.203
8.0	×	75	6.504
8.0	×	100	8.640

寸法 厚さ(m/m)	幅(m/m)	長さ(m/m)	1本重量 (kg)
9.0	×	13	1.268
9.0	×	20	1.951
10.0	×	15	1.626
10.0	×	20	2.168
10.0	×	25	2.710
10.0	×	30	3.252
10.0	×	35	3.792
10.0	×	40	4.336
10.0	×	45	4.896
10.0	×	50	5.420
10.0	×	60	6.480
10.0	×	75	8.130
10.0	×	80	8.640
10.0	×	100	10.840
10.0	×	150	16.260
12.0	×	20	2.612
12.0	×	25	3.252
12.0	×	30	3.902
12.0	×	40	5.200
12.0	×	50	6.504
12.0	×	60	7.804
12.0	×	75	9.756
12.0	×	100	13.008
15.0	×	20	3.252
15.0	×	25	4.065
15.0	×	30	4.878
15.0	×	40	6.504
15.0	×	50	8.130
15.0	×	60	9.756
15.0	×	75	12.195
15.0	×	100	16.260
20.0	×	25	5.420
20.0	×	30	6.504
20.0	×	35	7.588
20.0	×	40	8.672
20.0	×	50	10.840
20.0	×	70	15.160
25.0	×	30	8.130
25.0	×	35	9.520
25.0	×	40	10.840
25.0	×	50	13.550
25.0	×	60	16.260
25.0	×	80	21.760
30.0	×	40	13.008
30.0	×	50	16.260
30.0	×	60	19.512
30.0	×	75	24.400

注意：※は在庫寸法です。
重量は実質ですので多少誤差があります。

アルミ
平
棒

アルミ 6063 不等辺アングル

	寸	法		1本重量
	厚さ(m/m)	幅(m/m)	長さ(m/m)	(kg)
Rなし	1.5 × 20 × 15 × 4000			0.544
	1.5 × 25 × 15 × 4000			0.624
	1.8 × 18 × 15 × 4000			0.612
	2.0 × 30 × 15 × 4000			0.936
	2.0 × 30 × 20 × 4000			1.044
	3.0 × 40 × 20 × 4000			1.860
	3.0 × 50 × 25 × 4000			2.332
	4.0 × 38 × 25 × 4000			2.548
	5.0 × 60 × 40 × 4000			5.160
R付	5.0 × 65 × 50 × 4000			5.962
	5.0 × 75 × 50 × 4000			6.504
	10.0 × 100 × 75 × 4000			17.886
	12.0 × 125 × 75 × 4000			24.455

注意：※は在庫寸法です。

重量は実貫ですので多少誤差があります。

アルミ 6063 四角棒

	寸	法		1本重量
	厚さ(m/m)	幅(m/m)	長さ(m/m)	(kg)
	6 × 6 × 4000			0.390
	8 × 8 × 4000			0.694
	9 × 9 × 4000			0.878
	10 × 10 × 4000			1.084
	12 × 12 × 4000			1.561
	13 × 13 × 4000			1.832
	14 × 14 × 4000			2.125
	15 × 15 × 4000			2.439
	16 × 16 × 4000			2.775
	19 × 19 × 4000			3.913
	20 × 20 × 4000			4.336
	22 × 22 × 4000			5.247
	25 × 25 × 4000			6.775
	30 × 30 × 4000			9.756
	32 × 32 × 4000			11.140
	35 × 35 × 4000			13.279
	38 × 38 × 4000			15.653
	40 × 40 × 4000			17.344
	45 × 45 × 4000			21.951
	50 × 50 × 4000			27.100
	55 × 55 × 4000			32.791
	60 × 60 × 4000			39.024
	70 × 70 × 4000			53.116
	80 × 80 × 4000			69.376
	100 × 100 × 4000			108.400

アルミ 5052 等辺アングル(R付)

	寸	法		1本重量
	厚さ(m/m)	幅(m/m)	長さ(m/m)	(kg)
	3.0 × 30 × 30 × 4000			1.86
	3.0 × 40 × 40 × 4000			2.512
	4.0 × 40 × 40 × 4000			3.308
	5.0 × 40 × 40 × 4000			4.08
	5.0 × 50 × 50 × 4000			5.168
	6.0 × 50 × 50 × 4000			6.136
	6.0 × 60 × 60 × 4000			7.44
	6.0 × 65 × 65 × 4000			8.096
	9.0 × 75 × 75 × 4000			13.808

アルミ 6063 チャンネル(Rなし)

	寸	法		1本重量
	厚さ(m/m)	幅(m/m)	長さ(m/m)	(kg)
	1.5 × 25 × 16 × 4000			0.88
	1.6 × 10 × 10 × 4000			0.468
	2.0 × 15 × 15 × 4000			0.892
	2.0 × 30 × 15 × 4000			1.22
	2.0 × 20 × 20 × 4000			1.22
	2.0 × 25 × 25 × 4000			1.544
	2.4 × 30 × 30 × 4000			2.224
	3.0 × 40 × 20 × 4000			2.416
	3.0 × 50 × 25 × 4000			3.068
	3.0 × 60 × 30 × 4000			3.72
	4.0 × 80 × 40 × 4000			6.616
	5.0 × 100 × 50 × 4000			10.336

アルミ 6063 チャンネル(R付)

	寸	法		1本重量
	厚さ(m/m)	幅(m/m)	長さ(m/m)	(kg)
	3.0 × 50 × 30 × 4000			3.396
	4.0 × 60 × 30 × 4000			4.876
	6.0 × 75 × 40 × 4000			9.336
	6.0 × 125 × 65 × 4000			15.864

注意：※は在庫寸法です。

重量は実貫ですので多少誤差があります。

アルミ 5056 丸棒

寸 径(m/m)	法 長さ(m/m)	1本重量 (kg)
8.0	×	4000
10.0	×	4000
12.0	×	4000
13.0	×	4000
14.0	×	4000
15.0	×	4000
16.0	×	4000
17.0	×	4000
18.0	×	4000
19.0	×	4000
20.0	×	4000
22.0	×	4000
25.0	×	4000
26.0	×	4000
28.0	×	4000
30.0	×	4000
32.0	×	4000
35.0	×	4000
36.0	×	4000
38.0	×	4000
40.0	×	4000
42.0	×	4000
45.0	×	4000
48.0	×	4000
50.0	×	4000
55.0	×	4000
60.0	×	4000
65.0	×	4000
70.0	×	2000
75.0	×	2000
80.0	×	2000
85.0	×	2000
90.0	×	2000
95.0	×	2000
100.0	×	2000
110.0	×	2000
120.0	×	2000
130.0	×	2000
140.0	×	2000
150.0	×	2000
160.0	×	2000
170.0	×	2000
180.0	×	1000
190.0	×	1000
200.0	×	1000
210.0	×	1000
220.0	×	1000
230.0	×	1000
240.0	×	1000
250.0	×	1000
260.0	×	1000

寸 径(m/m)	法 長さ(m/m)	1本重量 (kg)
270.0	×	1000
280.0	×	1000
290.0	×	1000
300.0	×	1000

注意：重量は実貫ですので多少誤差があります。

アルミ

丸

棒


アルミ 5052 丸棒

寸 径(m/m)	法 長さ(m/m)	1本重量 (kg)	
3.0	×	2000	0.038
4.0	×	2000	0.668
5.0	×	2000	0.106
6.0	×	2000	0.152
7.0	×	2000	0.207
8.0	×	2000	0.270
9.0	×	2000	0.350
10.0	×	4000	0.845
11.0	×	4000	1.028
12.0	×	4000	1.228
13.0	×	4000	1.436
14.0	×	4000	1.668
15.0	×	4000	1.912
16.0	×	4000	2.196
17.0	×	4000	2.460
18.0	×	4000	2.760
19.0	×	4000	3.080
20.0	×	4000	3.410
22.0	×	4000	4.120
25.0	×	4000	5.320
26.0	×	4000	5.760
28.0	×	4000	6.680
30.0	×	4000	7.670
32.0	×	4000	8.720
35.0	×	4000	10.440
36.0	×	4000	11.200
38.0	×	4000	12.420
40.0	×	4000	13.630
42.0	×	4000	15.020
45.0	×	4000	17.240
48.0	×	4000	19.604
50.0	×	4000	21.290
55.0	×	4000	25.760
60.0	×	4000	30.880
65.0	×	4000	36.230
70.0	×	2000	21.012
75.0	×	2000	24.122
80.0	×	2000	27.444
85.0	×	2000	30.754
90.0	×	2000	34.482
95.0	×	2000	38.410
100.0	×	2000	42.568
110.0	×	2000	51.508
120.0	×	2000	61.298
130.0	×	2000	71.926
140.0	×	2000	83.300
150.0	×	2000	95.600
160.0	×	2000	109.800
170.0	×	2000	122.960

寸 径(m/m)	法 長さ(m/m)	1本重量 (kg)	
180.0	×	2000	138.000
190.0	×	2000	153.600
200.0	×	2000	170.400

注意：重量は実貫ですので多少誤差があります。


アルミ6063角パイプ キジ 5000(4000) 定尺寸法表



A6063 T5

• 玉 材


〈全量在庫〉(A6063 T₁材) 長さ ▶ 4,000



寸 法			单位重量 (kg/mt)
A	B	t	
8	15	2	0.217
10	15	2.5	0.313
15	17	3	0.615

● 足 材

〈在庫品〉(A6063 T材) 長さ>4,000



型 種 WS-35 (0.400kg/mt)

● T 材

〈在庫品〉(A6063 T5材) 長さ □4,000



型 畜 WS-265 (0.550kg/mt)

4000定尺寸法表

外 径 (D)	肉 厚 (t)								
	0.8	1.0	1.4	1.5	2.0	3.0	4.0	5.0	その他
6		○							
8	○	○	☆						
10		○	☆	○					
12		○ ☆			○ ☆				
12.7		○							
14		○			○				
15		○	☆						
16		○		○	○ ☆	☆			
17		○							
18		○		○					
19		○ ☆		○	○ ☆	○			
20		○	☆	○	○ ☆	☆			
22		○		○	○ ☆	☆			
25		○		○	○ ☆	○ ☆			☆t=1.6
28				○ ☆	☆				☆t=1.6
30		○	☆		○ ☆	○ ☆			
32					○ ☆	○ ☆			
35					○ ☆	○ ☆			
38					○ ☆	○ ☆	☆	☆	☆t=3.75
40		○			○ ☆	○ ☆	○ ☆	☆	
42					○				
43				○					
45					○ ☆	○ ☆		○ ☆	
50				○	○ ☆	○ ☆	○ ☆	○ ☆	
55								☆	☆t=8.0
60					☆	○ ☆	○ ☆	○ ☆	
65						○ ☆		○ ☆	
70						○ ☆		○ ☆	
75						○ ☆		○ ☆	
80						○ ☆	☆	○ ☆	
85								○	
90						○	☆	○ ☆	
100						○ ☆	○	○ ☆	
110						○		○ ☆	
120						○	☆	○ ☆	
130						○ ☆		○ ☆	
140								☆	
150						○		○ ☆	
165								○	