

ステンレス板

SUS304 No1

寸法 厚さmm×幅mm×長さmm	1枚重量 (kg)
3.0t×1000×2000	47.6
3.0t×1219×2438	70.7
3.0t×1524×3048	111.0
3.0t×1524×4000	145.0
4.0t×1000×2000	63.4
4.0t×1219×2438	94.3
4.0t×1524×3048	147.0
4.0t×1524×4000	193.0
5.0t×1000×2000	79.4
5.0t×1219×2438	118.0
5.0t×1524×3048	184.0
6.0t×1000×2000	95.2
6.0t×1219×2438	141.0
6.0t×1524×3048	221.0
6.0t×1524×4000	290.0
8.0t×1000×2000	127.0
8.0t×1219×2438	189.0
8.0t×1524×3048	295.0
9.0t×1000×2000	143.0
9.0t×1219×2438	212.0
9.0t×1524×3048	332.0
10.0t×1000×2000	159.0
10.0t×1219×2438	236.0
10.0t×1524×3048	368.0
12.0t×1000×2000	190.0
12.0t×1219×2438	283.0
12.0t×1524×3048	442.0

SUS304 2B

寸法 厚さmm×幅mm×長さmm	1枚重量 (kg)
0.3t×1000×2000	4.76
0.4t×1000×2000	6.34
0.5t×1000×2000	7.93
0.5t×1219×2438	11.9
0.6t×1000×2000	9.52
0.6t×1219×2438	14.1
0.8t×1000×2000	12.7
0.8t×1219×2438	18.9
1.0t×1000×2000	15.9
1.0t×1000×3000	23.9
1.0t×1219×2438	23.6
1.0t×1524×3048	36.8
1.2t×1000×2000	19.0
1.2t×1000×3000	28.6
1.2t×1219×2438	28.3
1.2t×1524×3048	44.2
1.5t×1000×2000	23.8
1.5t×1000×3000	35.7
1.5t×1000×4000	47.6
1.5t×1219×2438	35.4
1.5t×1219×3048	44.3
1.5t×1524×3048	55.3
1.5t×1524×4000	72.5
2.0t×1000×2000	31.7
2.0t×1000×3000	47.6
2.0t×1000×4000	63.4
2.0t×1219×2438	47.1
2.0t×1219×3048	58.9
2.0t×1219×4000	77.4
2.0t×1524×2650	64.2
2.0t×1524×3048	73.7
2.0t×1524×3500	84.6
2.0t×1524×4000	96.8
2.5t×1000×2000	39.6
2.5t×1219×2438	58.9
2.5t×1524×3048	92.1
2.5t×1524×4000	121.0
3.0t×1000×2000	47.6
3.0t×1000×3000	71.4
3.0t×1000×4000	95.2
3.0t×1219×2438	70.7
3.0t×1219×3048	88.5
3.0t×1524×2650	96.1
3.0t×1524×3048	111.0
3.0t×1524×3500	127.0
3.0t×1524×4000	145.0

寸法 厚さmm×幅mm×長さmm	1枚重量 (kg)
4.0t×1000×2000	63.4
4.0t×1219×2438	94.3
4.0t×1524×2650	128.0
4.0t×1524×3048	147.0
4.0t×1524×3500	169.0
4.0t×1524×4000	193.0
5.0t×1000×2000	79.4
5.0t×1219×2438	118.0
5.0t×1524×3048	184.0
6.0t×1000×2000	95.2
6.0t×1219×2438	141.0
6.0t×1524×3048	221.0
6.0t×1524×4000	290.0

SUS304 片面#400磨 テープ無

寸法 厚さmm×幅mm×長さmm	1枚重量 (kg)
0.3t×1000×2000	4.76

SUS304 片面#400磨 SG貼

寸法 厚さmm×幅mm×長さmm	1枚重量 (kg)
0.5t×1000×2000	7.93
0.6t×1000×2000	9.52
0.6t×1219×2438	14.1
0.8t×1000×2000	12.7
1.0t×1000×2000	15.9

ステンレス

パンチング板

SUS304 片面#400磨 SPV 貼

寸 法 厚さmm×幅mm×長さmm	1枚重量 (kg)
0.8t×1000×2000	12.7
0.8t×1219×2438	18.9
1.0t×1000×2000	15.9
1.0t×1000×3000	23.9
1.0t×1219×2438	23.6
1.0t×1524×3048	36.8
1.2t×1000×2000	19.0
1.2t×1219×2438	28.3
1.2t×1524×3048	44.2
1.5t×1000×2000	23.8
1.5t×1000×3000	35.7
1.5t×1219×2438	35.4
1.5t×1524×3048	55.3
2.0t×1000×2000	31.7
2.0t×1000×3000	47.6
2.0t×1219×2438	47.1
2.0t×1524×3048	73.8
3.0t×1000×2000	47.6
3.0t×1219×2438	70.7
3.0t×1524×3048	111.0

SUS304 片面#600磨 205SPV 2枚貼

寸 法 厚さmm×幅mm×長さmm	1枚重量 (kg)
0.8t×1000×2000	12.7
0.8t×1219×2438	18.9
1.0t×1000×2000	15.9
1.0t×1219×2438	23.6

SUS304 片面BA-8F 205SPV 2枚貼

寸 法 厚さmm×幅mm×長さmm	1枚重量 (kg)
1.2t×1000×2000	19.0
1.2t×1000×3000	28.6
1.2t×1219×2438	28.3
1.5t×1000×2000	23.8
1.5t×1000×3000	35.7
1.5t×1219×2438	35.4
2.0t×1000×2000	31.7
2.0t×1219×2438	47.1
2.0t×1524×3048	73.7

SUS304 HL SPV 貼

寸 法 厚さmm×幅mm×長さmm	1枚重量 (kg)
0.4t×1000×2000	6.34
0.5t×1000×2000	7.93
0.6t×1000×2000	9.52
0.6t×1219×2438	14.1
0.8t×1000×2000	12.7
0.8t×1219×2438	19.0
1.0t×1000×2000	15.9
1.0t×1000×3000	23.9
1.0t×1219×2438	23.6
1.2t×1000×2000	19.0
1.2t×1000×3000	28.5
1.2t×1000×4000	38.1
1.2t×1219×2438	28.3
1.2t×1219×3048	35.4
1.2t×1524×3048	44.2
1.5t×1000×2000	23.8
1.5t×1000×3000	35.7
1.5t×1000×4000	47.6
1.5t×1219×2438	35.4
1.5t×1219×3048	44.2
1.5t×1524×3048	55.3
2.0t×1000×2000	31.7
2.0t×1000×3000	48.0
2.0t×1000×4000	63.4
2.0t×1219×2438	47.1
2.0t×1524×3048	73.7
3.0t×1000×2000	47.6
3.0t×1219×2438	70.7

SUS304 HLSPV 縦目

寸 法 厚さmm×幅mm×長さmm	
1.2t×1219×2438	

※HL 縦目は2Bからの研磨になりますのでメーカー研磨とは多少異なります。

SUS304 綯鋼板

寸 法 厚さmm×幅mm×長さmm	1枚重量 (kg)
3.0t×1000×2000	51.4
3.0t×1219×2438	76.4
4.5t×1000×2000	75.2
4.5t×1219×2438	112.0
4.5t×1524×3048	175.0
6.0t×1000×2000	99.0
6.0t×1219×2438	147.0

SUS304 片面#400磨コイル

寸 法 厚さmm×幅mm×長さmm	m ² 目方 (kg)
0.4t×1000×20000	3.18
0.5t×1000×15000	3.97

SUS304 ウロコ研磨 SPV

寸 法 厚さmm×幅mm×長さmm	
0.6t×1000×2000	
0.8t×1219×2438	

SUS316 2B

寸 法 厚さmm×幅mm×長さmm	1枚重量 (kg)
1.5t×1000×2000	23.9
1.5t×1219×2438	35.6
1.5t×1524×3048	55.6
2.0t×1219×2438	47.4
2.0t×1000×2000	31.9
2.0t×1524×3048	74.1
3.0t×1000×2000	47.9
3.0t×1219×2438	71.1
3.0t×1524×3048	111.0
4.0t×1000×2000	63.8
4.0t×1219×2438	95.0
4.0t×1524×3048	148.0

SUS316L 2B

寸 法 厚さmm×幅mm×長さmm	1枚重量 (kg)
2.0t×1000×2000	31.9
2.0t×1219×2438	47.4
2.0t×1524×3048	74.1
3.0t×1000×2000	47.9
3.0t×1219×2438	71.1
3.0t×1524×3048	111.0
4.0t×1000×2000	63.8
4.0t×1219×2438	94.9
4.0t×1524×3048	148.0
6.0t×1524×4000	292.0

SUS430 2B

寸 法 厚さmm×幅mm×長さmm	1枚重量 (kg)
0.8t×1000×2000	12.3
0.8t×1219×2438	18.3
1.0t×1000×2000	15.4
1.2t×1000×2000	18.5
1.5t×1000×2000	23.1
2.0t×1000×2000	30.8
2.0t×1219×2438	45.8
3.0t×1219×2438	68.7